

GP Page 1 of 5 Safety data sheet according to Regulation (EC) No 1907/200 Revision date / version: 20.04.2023 / 0012 Replacing version dated / version: 17.11.2021 / 0011 Vaild from: 20.04.2023 PDF print date: 25.04.2023 COSMO® DS-440.120	6, Annex II	Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	EUH071 Acute Tox. 2, H310 Acute Tox. 2, H330 Acute Tox. 3, H301 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100)
(COSMOCOLL 263)			Aquatic Chronic 1, H410 (M=100)
Safety data according to Regulation (EC)		Specific Concentration Limits and ATE	Skin Corr. 1C, H314: >=0,6 % Skin Irrit. 2, H315: >=0,06 % Eye Dam. 1, H318: >=0,6 % Eye Irrit. 2, H319: >=0,06 % Skin Sens. 1A, H317: >=0,0015 %
SECTION 1: Identification of the s company/und		Impurities, test data and additional information may have bee	
1.1 Product identifier		the product. For the text of the H-phrases and classification codes (GHS// The substances named in this section are given with their act For substances that are listed in appendix VI, table 3.1 of the	tual, appropriate classification! regulation (EC) no. 1272/2008 (CLP regulation)
COSMO® DS-440.120		this means that all notes that may be given here for the name SECTION 4: First a	
(COSMOCOLL 263)		4.1 Description of first aid measures	
1.2 Relevant identified uses of the substanc	e or mixture and uses advised	First-aiders should ensure they are protected! Never pour anything into the mouth of an unconscious person Inhalation	n!
against Relevant identified uses of the substance or	mixture:	Supply person with fresh air and consult doctor according to a Skin contact	symptoms.
Adhesive Uses advised against:		Remove polluted, soaked clothing immediately, wash thoroug irritation of the skin (flare), consult a doctor.	shly with plenty of water and soap, in case of
No information available at present.		Eye contact Remove contact lenses.	
1.3 Details of the supplier of the safety data Weiss Chemie + Technik GmbH & Co. KG Hansastrasse 2 35708 Haiger	sheet	Wash thoroughly for several minutes using copious water. Se Ingestion Rinse the mouth thoroughly with water.	eek medical help if necessary.
Tel: +49 (0) 2773 / 815-0 msds@weiss-chemie.de www.weiss-chemie.de		Do not induce vomiting. Consult doctor immediately. 4.2 Most important symptoms and effects , but If applicable delayed symptoms and effects applied in a	
		If applicable delayed symptoms and effects can be found in s In certain cases, the symptoms of poisoning may only appear The following may occur: Allergic reaction	
Qualified person's e-mail address: info@chemical-check.de, NOT use for requesting Safety Data Sheets.	k.schnurbusch@chemical-check.de Please DO	Ingestion: Gastrointestinal disturbances 4.3 Indication of any immediate medical atte	ntion and special treatment needed
1.4 Emergency telephone number Emergency information services / official ad	visory body:	Symptomatic treatment. SECTION 5: Firefight	ting measures
Telephone number of the company in case of	of emergencies:	g	
+49 (0) 700 / 24 112 112 (WIC) +1 872 5888271 (WIC)		5.1 Extinguishing media	
		Suitable extinguishing media Adapt to the nature and extent of fire.	
SECTION 2: Hazards	dentification	Water jet spray/foam/CO2/dry extinguisher Unsuitable extinguishing media	
2.1 Classification of the substance or mixtur Classification according to Regulation (EC)	1272/2008 (CLP)	None known 5.2 Special hazards arising from the substan In case of fire the following can develop: Oxides of carbon	nce or mixture
The mixture is not classified as dangerous in the terms of the 2.2 Label elements Labeling according to Regulation (EC) 1272/		Acetic acid Toxic gases 5.3 Advice for firefighters	
EUH208-Contains Reaction mass of 5-chloro-2-methyl-2H-is isothiazol-3-one (3:1), 1,2-benzisothiazol-3(2H)-one. May pro EUH210-Safety data sheet available on request.	othiazol-3-one and 2-methyl-2H- duce an allergic reaction.	For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire	
		Full protection, if necessary. Dispose of contaminated extinction water according to officia	I regulations.
2.3 Other hazards		SECTION 6: Accidental	release measures
The mixture does not contain any vPvB substance (vPvB = v included under XIII of the regulation (EC) 1907/2006 (< 0,1 % The mixture does not contain any PBT substance (PBT = pe under XIII of the regulation (EC) 1907/2006 (< 0,1 %). The mixture does not contain any substance with endocrine i	.). sistent, bioaccumulative, toxic) or is not included	6.1 Personal precautions, protective equipm 6.1.1 For non-emergency personnel	2
· ····································	<u>-</u> , , , ,	In case of spillage or accidental release, wear personal prote prevent contamination.	cuve equipment as specified in section 8 to
SECTION 3: Composition/info	rmation on ingredients	Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products.	
	.	Leave the danger zone if possible, use existing emergency pl Ensure sufficient supply of air. Avoid contact with eyes or skin.	เลกร แ กษุษธรรสาง.
3.1 Substances		If applicable, caution - risk of slipping.	
3.2 Mixtures		6.1.2 For emergency responders See section 8 for suitable protective equipment and material	specifications.
1,2-benzisothiazol-3(2H)-one Registration number (REACH)	01-2120761540-60-XXXX	6.2 Environmental precautions If leakage occurs, dam up.	
Index EINECS, ELINCS, NLP, REACH-IT List-No.	613-088-00-6 220-120-9	Resolve leaks if this possible without risk. Prevent surface and ground-water infiltration, as well as grou	nd penetration.
CAS content %	2634-33-5 0,005-<0,05	Prevent from entering drainage system. If accidental entry into drainage system occurs, inform respor	
Classification according to Regulation (EC) 1272/2008 (CLP), M-factors	Acute Tox. 2, H330 Acute Tox. 4, H302	6.3 Methods and material for containment ar	nd cleaning up
	Skin Irrit. 2, H315 Eye Dam. 1, H318	Soak up with absorbent material (e.g. universal binding agen dispose of according to Section 13.	i, sand, diatomaceous earth, sawdust) and
	Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=10)	6.4 Reference to other sections For personal protective equipment see Section 8 and for disp	osal instructions see Section 13.
Specific Concentration Limits and ATE	Aquatic Chronic 2, H411 Skin Sens. 1, H317: >=0,05 %	SECTION 7: Handlin	
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-			• •
one and 2-methyl-2H-isothiazol-3-one (3:1) Registration number (REACH)		In addition to information given in this section, relevant inform 7.1 Precautions for safe handling	nation can also be found in section 8 and 6.1.
Index EINECS, ELINCS, NLP, REACH-IT List-No.	613-167-00-5 	7.1.1 General recommendations Ensure good ventilation.	
CAS content %	55965-84-9 0,00015-<0,0015	Avoid contact with eyes or skin. Eating, drinking, smoking, as well as food-storage, is prohibit	ed in work-room
		Observe directions on label and instructions for use.	
		7.1.2 Notes on general hygiene measures at General hygiene measures for the handling of chemicals are Wash hands before breaks and at end of work. Keep away from food, drink and animal feedingstuffs.	



Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 20.04.2023 / 0012 Replacing version 1.20.04.2023 / 0012 Replacing version dated / version: 17.11.2021 / 0011 Valid from: 20.04.2023 PDF print date: 25.04.2023 COSMO® DS-440.120 (COSMOCOLL 263)

Remove contaminated clothing and protective equipment before entering areas in which food is consumed. 7.2 Conditions for safe storage, including any incompatibilities Not to be stored in gangways or stair wells. Store product closed and only in original packing. Protect from frost.

7.3 Specific end use(s) Adhes

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

GB Chemical Name WEL-TWA: 4 mg/m3 (Gypsu	Calcium s	ulphate dihydrate	э		
TVEL-TWA: 4 mg/m3 (Gypsu)	ım,	WEL-STEL:			
respirable), 10 mg/m3 (Gypsu	m,				
inhalable dust)					
Monitoring procedures:					
BMGV:				Other information	i:

Area of application	Exposure route /	Effect on	Descri	Valu	Unit	Note
	Environmental	health	ptor	e		
	compartment					
	Environment -		PNEC	0,00	mg/l	
	freshwater			339	-	
	Environment -		PNEC	0,00	mg/l	
	marine			339	-	
	Environment -		PNEC	0,02	mg/kg	
	sediment, freshwater			7	dw	
	Environment -		PNEC	0,02	mg/kg	
	sediment, marine			7	dw	
	Environment - soil		PNEC	0,01	mg/kg	
					dw	
	Environment -		PNEC	0,23	mg/l	
	sewage treatment					
	plant					
	Environment -		PNEC	0,00	mg/l	
	water, sporadic			339		
	(intermittent) release					
Consumer	Human - oral	Short term,	DNEL	0,11	mg/kg	
		systemic effects			bw/d	
Consumer	Human - inhalation	Long term,	DNEL	0,02	mg/m3	
		local effects				
Consumer	Human - inhalation	Short term,	DNEL	0,04	mg/m3	
		local effects				
Consumer	Human - oral	Long term,	DNEL	0,09	mg/kg	
		systemic effects			bw/d	
Workers /	Human - inhalation	Long term,	DNEL	0,02	mg/m3	
employees		local effects				
Workers /	Human - inhalation	Short term,	DNEL	0,04	mg/m3	
employees		local effects				

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).
 (8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive 2004/37/CE). (11) = Uncluse 2004/37/CE). (12) = Uncluse 2004/37/CE).
 (8) = Content of the term of term of the term of term

(Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). (8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, 2017/2398/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). JBMGV = Biological monitoring guidance value EH40. BGW = 'Biologischer Grenzwert' (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. ** = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn.

should be worn. Applies only if maximum permissible exposure values are listed here. Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques. These are specified by e.g. EN 14042. EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of

exposure to chemical and biological agents

8.2.2 Individual protection measures, such as personal protective equipment General hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended Rubber gloves (EN ISO 374).

Minimum layer thickness in mm:

0,5 Permeation time (penetration time) in minutes:

> = 60The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical

conditions. The recommended maximum wearing time is 50% of breakthrough time.

Protective hand cream recommended.

Skin protection - Other:

Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments). Respiratory protection:

Normally not necessary.

Thermal hazards Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested hefore use ct breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed

8.2.3 Environmental exposure controls No information available at pre

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Liquic

i nyoloui olulo.		Elquid
Colour:		Beige
Odour:		Characteristic
Melting point/fr	eezing point:	There is no information available on this parameter.
Boiling point or	initial boiling point and boiling range:	There is no information available on this parameter.
Flammability:		There is no information available on this parameter.
Lower explosic	n limit:	There is no information available on this parameter.
Upper explosic	n limit:	There is no information available on this parameter.
Flash point:		There is no information available on this parameter.
Auto-ignition te	mperature:	There is no information available on this parameter.
Decomposition	temperature:	There is no information available on this parameter.
pH:		6
Kinematic visc	osity:	There is no information available on this parameter.
Solubility:		There is no information available on this parameter.
Partition coeffic	cient n-octanol/water (log value):	Does not apply to mixtures.
Vapour pressu	re:	There is no information available on this parameter.
Density and/or	relative density:	1,17 g/cm3 (relative density)
Relative vapou	r density:	There is no information available on this parameter.
Particle charac	teristics:	Does not apply to liquids.
9.2 Other in	nformation	
	available at present.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity
- Not to be expecte
- **10.2 Chemical stability** Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous i 10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

No decomposition when used as directed

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Possibly more information on health effects, see Section 2.1 (classification). COSMO® DS-440.120

Toxicity / effect	Endpo int	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Symptoms:						n.d.a.
1,2-benzisothiazol-3(2)				- ·		
Toxicity / effect	Endpo int	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:	LD50	1020	mg/k g	Rat		
Acute toxicity, by dermal route:	LC50	>2000	mg/k g	Rat		
Acute toxicity, by inhalation:	LC50	0,4	mg/l/ 4h	Rat		Aerosol
Skin corrosion/irritation:						Irritant



B) Page 3 of 5 Safety data sheet a	.ccording to Re	gulation	(EC) No	1907/200	6, Annex II			12.5. Results of PBT and vPvB							n.d.a.
Revision date / vers Replacing version d	sion: 20.04.202 dated / version	23 / 0012	2					assessment 12.6. Endocrine							Does no
alid from: 20.04.20 DF print date: 25.0	023							disrupting properties:							apply to mixtures
OSMO® DS-440.								12.7. Other adverse effects:							No informat
COSMOCOLL 263)														availabl on other
Serious eye amage/irritation:							Eye Dam. 1								adverse effects o
Respiratory or skin sensitisation:		-			Guinea pig	OECD 406 (Skin Sensitisation)	Yes (skin contact)								the environr
Respiratory or skin sensitisation:					Mouse	OECD 429 (Skin Sensitisation -	Yes (skin contact)	Other							t. DOC-
						Local Lymph Node Assay)	contacty	information:							eliminati degree(
Reaction mass of	5-chloro-2-m	ethyl-2H	isothiaz	ol-3-one	and 2-methyl	-2H-isothiazol-3-one	(3.1)								mplexing
Toxicity / effect	Endp			Unit	Organis m	Test method	Notes								substan
Acute toxicity, by or oute:		53-	64	mg/k g	Rat										80%/280 No
Acute toxicity, by dermal route:	LD50	87		mg/k	Rat	OECD 402 (Acute Dermal		Other information:	AOX			%			Accordir to the
	LC50		7	g	Rat	Toxicity)	Aaroool	mornation.							recipe, contains
Acute toxicity, by nhalation:	LC50	0,1 0,3		mg/l/ 4h	Rai	OECD 403 (Acute Inhalation	Aerosol								no AOX.
Skin		-			Rabbit	Toxicity) OECD 404	Skin Corr.	1,2-benzisothiazo		Tim	Males	11-14	0	T 4	Netes
orrosion/irritation:						(Acute Dermal Irritation/Corrosio	1C	Toxicity / effect	Endpoin t	Tim e	Valu e	Unit	Organism	Test method	Notes
Serious eye		-			Rabbit	n)	Eye Dam. 1	12.1. Toxicity to fish:	LC50	96h	2,18	mg/l	Oncorhynch us mykiss	OECD 203 (Fish, Acute	
damage/irritation: Respiratory or skin		+			Guinea	OECD 406 (Skin	Skin Sens.	40.4 Test 1 1	NOFOTI	001	0.01		Oncerta	Toxicity Test)	
sensitisation: Germ cell		+-			pig Mouse	Sensitisation) OECD 475	1A Negative	12.1. Toxicity to fish:	NOEC/N OEL	28d	0,21	mg/l	Oncorhynch us mykiss	OECD 215 (Fish,	
mutagenicity:						(Mammalian Bone Marrow								Juvenile Growth	
						Chromosome Aberration Test)		12.1. Toxicity to	EC50	48h	2,94	mg/l	Daphnia	Test) OECD 202	
Germ cell mutagenicity:					Rat	OECD 486 (Unscheduled	Negative	daphnia:					magna	(Daphnia sp. Acute	
						DNA Synthesis (UDS) Test with								Immobilisati on Test)	
						Mammalian Liver Cells In		12.1. Toxicity to daphnia:	NOEC/N OEL	21d	1,2	mg/l		OECD 211 (Daphnia	
Aspiration hazard:		—				Vivo)	No							magna Reproductio	
Symptoms:							diarrhoea, mucous	12.1. Toxicity to	NOEC/N	72h	0,04	mg/l	Selenastrum	n Test) OECD 201	
							membrane irritation,	algae:	OEL		-,		capricornut um	(Alga, Growth	
							watering eyes,						un	Inhibition Test)	
							eyes, reddened	12.1. Toxicity to algae:	EC50	72h	0,04 03	mg/l	Pseudokirch neriella	OECD 201 (Alga,	
Calcium sulphate	dihydrate		1				Toddoniod	aiguo.			00		subcapitata	Growth	
Toxicity / effect	Endp	o Va	lue	Unit	Organis m	Test method	Notes	12.2.	DT50		0,04	d		Test) OECD 307	
Acute toxicity, by or		>10	0000	mg/k	Rat			Persistence and degradability:	0100		0,04	ų		(Aerobic and	
route: Skin				g			Mechanical	degradability.						Anaerobic Transformati	
corrosion/irritation:							irritation possible.	12.2.			90	%	activated	on in Soil) OECD 302	
Serious eye damage/irritation:							Mechanical irritation	Persistence and			90	70	sludge	B (Inherent Biodegradab	
Respiratory or skin							possible. Not	degradability:						ility - Zahn- Wellens/EM	
sensitisation:							sensitizisin g	10.0	D 00		00	0/	a athread a	PA Test)	
11.2. Informati		er haza	ards					12.2. Persistence and	DOC		80	%	activated sludge	OECD 303 A	
COSMO® DS-440.	120							degradability:						(Simulation Test -	
(COSMOCOLL 263 Toxicity / effect	3) Endp	o Va	lue	Unit	Organis	Test method	Notes							Aerobic Sewage	
Endocrine disrupting	int				m	1001 1101104	Does not							Treatment - Activated	
Endocrine disrupting properties:	9						apply to							Sludge Units)	
Other information:		+					mixtures. No other relevant	12.3. Bioaccumulative	BCF		6,95			OECD 305 (Bioconcentr	
							relevant information	potential:						ation - Flow- Through	
							available on adverse	12.3.	Log Kow		0,7			Fish Test) OECD 117	
							effects on health.	Bioaccumulative potential:	-					(Partition Coefficient	
			12. 5-		cal info-	mation								(n- octanol/wate	
	600	IUN	12: EC	Joiogi	cal infor	mation								r) - HPLC method)	
	SECT	ironmen	al effects	, see Sec	tion 2.1 (class	ification).		Toxicity to bacteria:	EC20	3h	3,3	mg/l	activated sludge	OECD 209 (Activated	
Possibly more infor	mation on env													Sludge, Respiration	
COSMO® DS-440.	mation on env 120				Organism		Notes							Inhibition	
COSMO® DS-440. COSMOCOLL 263	mation on env 120	Tim	Valu	Unit	organish									Test (Carbon	
	mation on env 120 3)		Valu e	Unit	organish	method	n.d.a.						1	and	
COSMO® DS-440. COSMOCOLL 263 Toxicity / effect 2.1. Toxicity to sh: 2.1. Toxicity to	mation on env 120 3) Endpoin	Tim		Unit	organish	method	n.d.a.							Ammonium	
COSMO® DS-440. COSMOCOLL 263 oxicity / effect 2.1. Toxicity to sh: 2.1. Toxicity to laphnia:	mation on env 120 3) Endpoin	Tim		Unit		method		Toxicity to	EC50	3h	13	mg/l	activated	Ammonium Oxidation)) OECD 209	
COSMO® DS-440. COSMOCOLL 263 oxicity / effect 2.1. Toxicity to sh: 2.1. Toxicity to laphnia: 2.1. Toxicity to lagae:	mation on env 120 3) Endpoin	Tim		Unit		method	n.d.a. n.d.a.	Toxicity to bacteria:	EC50	3h	13	mg/l	activated sludge	Ammonium Oxidation)) OECD 209 (Activated Sludge,	
COSMO® DS-440. COSMOCOLL 263 Toxicity / effect 2.1. Toxicity to tabhnia: 2.1. Toxicity to taphnia: 2.1. Toxicity to tagae: 2.2. Persistence and	mation on env 120 3) Endpoin	Tim		Unit		method	n.d.a.		EC50	3h	13	mg/l		Ammonium Oxidation)) OECD 209 (Activated Sludge, Respiration Inhibition	
COSMO® DS-440. COSMOCOLL 263 roxicity / effect 2.1. Toxicity to taphnia: 2.1. Toxicity to tapania: 2.1. Toxicity to tagaetia: 2.2. Persistence and tegradability: 2.3.	mation on env 120 3) Endpoin	Tim		Unit		method	n.d.a. n.d.a.		EC50	3h	13	mg/l		Ammonium Oxidation)) OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon	
COSMO® DS-440. COSMOCOLL 263 oxicity / effect 2.1. Toxicity to sh: 2.1. Toxicity to laphnia: 2.1. Toxicity to laphnia: 2.1. Toxicity to laphnia: 2.1. Toxicity to lape: 2.2. resistance and legradability:	mation on env 120 3) Endpoin	Tim				method	n.d.a. n.d.a. n.d.a.		EC50	3h	13	mg/l		Ammonium Oxidation)) OECD 209 (Activated Sludge, Respiration Inhibition Test	



Not applicable

Not applicable Not applicable

Not applicable Not applicable

Not applicable

Not applicable

Not applicable Not applicable

GB Page 4 of 5

(COSMOCOLL 263)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 20.04.2023 / 0012 Replacing version date / version: 17.11.2021 / 0011 Valid from: 20.04.2023 PDF print date: 25.04.2023 COSMO® DS-440.120

Toxicity / effect	Endpoin t	Tim e	Valu e	Unit	Organism	Test method	Notes
12.1. Toxicity to fish:	LC50	96h	0,19 -0,2 2	mg/l	Oncorhynch us mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to fish:	NOEC/N OEL	28d	0,09 8	mg/l	Oncorhynch us mykiss	OECD 210 (Fish, Early- Life Stage Toxicity Test)	
12.1. Toxicity to daphnia:	NOEC/N OEL	21d	0,00 4	mg/l	Daphnia magna	OECD 211 (Daphnia magna Reproductio n Test)	
12.1. Toxicity to daphnia:	EC50	48h	0,1- 0,16	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	0,04 8	mg/l	Pseudokirch neriella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/N OEL	72h	0,00 12	mg/l	Pseudokirch neriella subcapitata	OECD 201 (Alga, Growth Inhibition Test)	
12.1. Toxicity to algae:	NOEC/N OEL	48h	0,49	µg/l	Skeletonem a costatum	OECD 201 (Alga, Growth Inhibition Test)	
12.2. Persistence and degradability:			>60	%	activated sludge	OECD 301 D (Ready Biodegradab ility - Closed Bottle Test)	Biodegrad ble
12.3. Bioaccumulative potential:	BCF		3,6				calculated value
12.3. Bioaccumulative potential:	Log Pow		0,40 1- 0,48 6				Not to be expected
12.5. Results of PBT and vPvB assessment							No PBT substance No vPvB substance
Toxicity to bacteria:	EC50	3h	7,92	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	

Calcium suiphate	ainyarate						
Toxicity / effect	Endpoin	Tim	Valu	Unit	Organism	Test	Notes
-	t	е	е		-	method	
12.1. Toxicity to	LC50	96h	298	mg/l	Lepomis		
fish:			0		macrochirus		

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

EC disposal code no .:

The waste codes are recommendations based on the scheduled use of this product

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 08 04 09 waste adhesives and sealants containing organic solvents or other hazardous substances Recommendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations.

E.g. suitable incineration plant. E.g. dispose at suitable refuse site

For contaminated packing material Pay attention to local and national official regulat Empty container completely. icial regulations.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

Transport by road/by rail (ADR/RID)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	
14.3. Transport hazard class(es):	Not applicable
14.4. Packing group:	Not applicable
14.5. Environmental hazards:	Not applicable
Tunnel restriction code:	Not applicable
Classification code:	Not applicable
LQ:	Not applicable
Transport category:	Not applicable
Transport by sea (IMDG-code)	
14.1. UN number or ID number:	Not applicable
14.2. UN proper shipping name:	
Not applicable	

14.3. Transport hazard class(es):	
14.4. Packing group:	
14.5. Environmental hazards:	
Marine Pollutant:	
EmS:	

Transport by air (IATA)

14.1. UN number or ID number: 14.2. UN proper shipping name:

Not applicable 14.3. Transport hazard class(es):

14.4. Packing group: 14.5. Environmental hazards

14.6. Special precautions for user

Unless special precations for age transport must be followed.
 14.7. Maritime transport in bulk according to IMO instruments Non-dangerous material according to Transport Regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): < 0,0025 %

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the treated goods. These are indicated in the approval of the active substance.

National requirements/regulations on safety and health protection must be applied when using work equipment

15.2 Chemical safety assessment A chemical safety assessment is not provided for mixtures.

SECTION 16. Other information					
	· · · · ·	 	40.		

Revised sections:

3.12

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP): Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H330 Fatal in Inhaled. H310 Fatal in contact with skin. H314 Causes severe skin burns and eve damage. H314 Causes severe skin burns and eye (H317 May cause an allergic skin reaction. H301 Toxic if swallowed. H302 Harmful if swallowed. H315 Causes skin irritation. H316 Causes skin irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Very toxic to aquatic life with long lasting effects. EUH071 Corrosive to the respiratory tract. Acute Tox. — Acute toxicity - inhalation

Acute Tox. — Acute toxicity - inhalation Acute Tox. — Acute toxicity - oral Skin Irrit. — Skin irritation Eye Dam. — Serious eye damage Skin Sens. — Skin sensitization Aquatic Acute — Hazardous to the aquatic environment - acute Aquatic Chronic — Hazardous to the aquatic environment - chronic Acute Tox. — Acute toxicity - dermal Skin Corr. — Skin corrosion

Key literature references and sources for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). Safety data sheets for the constituent substances. ECHA Homepage - Information about chemicals. GESTIS Substance Database (Germany). German Environment Agency "Rigoletto" information site on substances that are hazardous to water Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164, (EU) 2019/1831, each as amended. National Lists of Occupational Exposure Limits for each country as amended. Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended. Any abbreviations and acronyms used in this document:

acc., acc. to according, according to ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOX Adsorbable organic halogen compounds approx. approximately Art., Art. no.Article number ASTM ASTM International (American Society for Testing and Materials) Acute Toxicity Estimate Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and ATE BAM Testing, Germany) Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health BAuA BAUA BUNDESENSITIA UN ANDERESONAL AN and Safety, Germany) BCF Bioconcentration factor BSEF The International Bromine Council bw body weight CAS Chemical Abstracts Service

- CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic DMEL Derived Minimum Effect Level



B) Page 5 of 5	
Revision data	sheet according to Regulation (EC) No 1907/2006, Annex II tte / version: 20.04.2023 / 0012
Replacing v	version dated / version: 17.11.2021 / 0011
Valid from: 2	20.04.2023 ate: 25.04.2023
COSMO® D	
000000000000000000000000000000000000000	
(COSMOCO	
DNEL DOC	Derived No Effect Level
dw	Dissolved organic carbon dry weight
e.g.	for example (abbreviation of Latin 'exempli gratia'), for instance
	x, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass
(algae, plan EC	European Community
ECHA	European Chemicals Agency
	x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect
EEC EINECS	European Economic Community European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EN	European Norms
EPA ErCx EuCx	United States Environmental Protection Agency (United States of America) (x, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate
(algae, plan	
etc.	et cetera
EU EVAL	European Union
EVAL Fax.	Ethylene-vinyl alcohol copolymer Fax number
gen.	general
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
GWP Koc	Global warming potential Adsorption coefficient of organic carbon in the soil
Kow	octanol-water partition coefficient
IARC	International Agency for Research on Cancer
IATA IBC (Code)	International Air Transport Association International Bulk Chemical (Code)
	International Maritime Code for Dangerous Goods
incl.	including, inclusive
IUCLID IUPAC	International Uniform Chemical Information Database International Union for Pure Applied Chemistry
LC50	Lethal Concentration to 50 % of a test population
LD50	Lethal Dose to 50% of a test population (Median Lethal Dose)
Log Koc	Logarithm of adsorption coefficient of organic carbon in the soil
Log Kow, Lo	og Pow Logarithm of octanol-water partition coefficient Limited Quantities
MARPOL	International Convention for the Prevention of Marine Pollution from Ships
n.a.	not applicable
n.av. n.c.	not checked
n.d.a.	no data available
NIOSH NLP	National Institute for Occupational Safety and Health (USA)
NOEC, NOE	No-longer-Polymer EL No Observed Effect Concentration/Level
OECD	Organisation for Economic Co-operation and Development
org.	organic
OSHA PBT	Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic
PE	Polyethylene
PNEC	Predicted No Effect Concentration
ppm PVC	parts per million Polyvinylchloride
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No
1907/2006 0	concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals)
REACH-IT L	
	r numerical identifier. List Numbers do not have any legal significance, rather they are purely entifiers for processing a submission via REACH-IT.
RID	Règlement concernant le transport International ferroviaire de marchandises Dangereuses (=
	concerning the International Carriage of Dangerous Goods by Rail)
SVHC Tel.	Substances of Very High Concern Telephone
TOC	Total organic carbon
UN RTDG	
	Volatile organic compounds
VOC	Volatile organic compounds
	very persistent and very bioaccumulative wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility. These statements were made by: Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90 © by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.