

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0004

Revision date / version: 24.07.2015 / 0003 Replacing version dated / version: 24.07.2015 / 0003 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO PU-201.310

(COSMOFEN DUO.20 - Binder)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

COSMO PU-201.310

(COSMOFEN DUO.20 - Binder)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Uses advised against:

1.3 Details of the supplier of the safety data sheet Weiss Chemie + Technik GmbH & Co. KG

Hansastrasse 2 35708 Haiger

Tel: +49 (0) 2773 / 815-0 msds@weiss-chemie.de www.weiss-chemie.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WIC) +1 872 5888271 (WIC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)
The mixture is not classified as dangerous in the terms of the Regulation (EC) 1272/2008 (CLP).

2.2 Label elements

Labeling according to Regulation (EC) 1272/2008 (CLP)

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

3.2 Mixtures

- 1		
[Registration number (REACH)	
	Index	
	EINECS, ELINCS, NLP, REACH-IT List-No.	
Π	CAS	
Ī	content %	
Ī	Classification according to Regulation (EC) 1272/2008	
	(CLP), M-factors	

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Whipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Unsuitable cleaning product:

Solvent Thinners

Eye contact

Eye Contact
Remove contact lenses.
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Do not induce vomiting. Consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1 4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguisher

Unsuitable extinguishing media

n.c.

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop

Oxides of carbon

5.3 Advice for firefighters

For personal protective equipment see Section 8.
In case of fire and/or explosion do not breathe fumes.
Protective respirator with independent air supply.
According to size of fire
Full protection, if necessary.
Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel in case of spillage or accidental release, wear per

In case of spillage or accidental release, wear personal prevent contamination.

Ensure sufficient ventilation, remove sources of ignition. Avoid dust formation with solid or powder products. al protective equipment as specified in section 8 to

Leave the danger zone if possible, use existing emergency plans if necessary. Ensure sufficient supply of air. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.1.2 For emergency respondersSee section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

6.2 ENVIORMENTAL PRECAUTIONS
If leakage occurs, dam up.
Resolve leaks if this possible without risk.
Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities 6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diated dispose of according to Section 13. us earth sawdust) and

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.
Wash hands before breaks and at end of work.
Keep away from food, drink and animal feedingstuffs.
Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities Store product closed and only in original packing.

Not to be stored in gangways or stair wells. Store at room temperature

Store in a dry place

7.3 Specific end use(s)
No information available at present.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

®	Chemical Name	Calcium c	Calcium carbonate									
	L-TWA: 4 mg/m3 (respir mg/m3 (total inhalable dus		WEL-STEL:									
	nitoring procedures:	/										
BM	GV:				Other information	n:						

Calcium carbonate						
Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
	Environment - sewage treatment plant		PNEC	100	mg/l	
Consumer	Human - oral	Long term, systemic effects	DNEL	6,1	mg/kg bw/day	
Consumer	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	
Consumer	Human - inhalation	Long term, local effects	DNEL	1,06	mg/m3	
Consumer	Human - oral	Short term, systemic effects	DNEL	6,1	mg/kg bw/day	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	4,26	mg/m3	
Workers / employees	Human - inhalation	Long term, systemic effects	DNEL	10	mg/m3	

Zeo	lites



Page 2 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0004

Revision date / version. 1.11.1.2021 / 0004 Replacing version dated / version: 24.07.2015 / 0003 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO PU-201.310

(COSMOFEN DUO.20 - Binder)

Area of application	Exposure route / Environmental compartment	Effect on health	Descri ptor	Valu e	Unit	Note
	Environment - freshwater		PNEC	3,2	mg/l	
	Environment - marine		PNEC	0,32	mg/l	
	Environment - soil		PNEC	600	mg/kg dry weight	
	Environment - sewage treatment plant		PNEC	95	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	1,25	mg/kg body weight/ day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1,25	mg/kg body weight/ day	
Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2,5	mg/kg body weight/ day	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	3	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE), (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE), (11) = Inhalable fraction (Directive 2004/37/CE), (12) = Inhalable fraction. Respirable fraction in those Member States that implement, on the date of the entry into force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g retainine in urine (Directive 2004/37/CE), | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference particl) reference period).
(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU), (9) = Respirable fraction (2017/164/EU,

(a) = Initiatable Hacitoni (2017/net-C), 2017/2398/CU), (b) = Respirable Hacitoni (2017/164/EU), 2017/2398/EU), (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU), | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage. = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with

the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE),

(14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection

Applies only if maximum permissible exposure values are listed here.

Applies only if maximum permissione exposure values are isstee nere. Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques. These are specified by e.g. EN 14042. EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

With danger of contact with eyes.

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374). Recommended
Protective gloves in butyl rubber (EN ISO 374).
Minimum layer thickness in mm:

>= 0,5 Permeation time (penetration time) in minutes:

Protective hand cream recommended

The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical

conditions. The recommended maximum wearing time is 50% of breakthrough time. $\label{eq:conditions}$

Skin protection - Other:

Usual protective working garments

Normally not necessary.

Thermal hazards:

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and

varies from manufacturer to manufacturer

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested

exact breakthrough time of the glove material can be requested from the protective glove manufacture

8.2.3 Environmental exposure controls

No information available at pre

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Pastelike, Liquid White Physical Colour: Odour: Characteristic

Melting point/freezing point:
Boiling point or initial boiling point and boiling range:
Flammability: There is no information available on this parameter. There is no information available on this parameter. Not combustible.

Lower explosion limit There is no information available on this parameter. Upper explosion limit: There is no information available on this parameter. Flash point: There is no information available on this parameter.

There is no information available on this parameter. Auto-ignition temperature: Decomposition temperature: pH:
Kinematic viscosity: There is no information available on this parameter. Mixture is non-soluble (in water). There is no information available on this parameter.

Insoluble

Solubility: Partition coefficient n-octanol/water (log value): Does not apply to mixtures

Vapour pressure: Density and/or relative density: There is no information available on this parameter. ~1,35 g/cm3 (20°C)
There is no information available on this parameter.

Relative vapour density: Does not apply to liquids. Particle characteristics:

9.2 Other information

Product is not explosive. Explosives: Oxidising liquids:

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

See also section 7 None known

10.5 Incompatible materials

See also section 7

None known

10.6 Hazardous decomposition products

No decomposition when used as directed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information on health effects, see Section 2.1 (classificatio COSMO PU-201.310

Calcium carbonate

Toxicity / effect	Endpo int	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal route:						n.d.a.
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye damage/irritation:						n.d.a.
Respiratory or skin sensitisation:						n.d.a.
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity - single exposure (STOT-SE):						n.d.a.
Specific target organ toxicity - repeated exposure (STOT-RE):						n.d.a.
Aspiration hazard:						n.d.a.
Cumptomo:						n d n

Toxicity / effect	Endpo int	Value	Unit	Organis m	Test method	Notes
Acute toxicity, by oral route:	LD50	>2000	mg/k g	Rat	OECD 420 (Acute Oral toxicity - Fixe Dose Procedure)	
Acute toxicity, by dermal route:	LD50	>2000	mg/k g	Rat	OECD 402 (Acute Dermal Toxicity)	
Acute toxicity, by inhalation:	LC50	>3	mg/l/ 4h	Rat	OECD 403 (Acute Inhalation Toxicity)	
Skin corrosion/irritation:				Rabbit	OECD 404 (Acute Dermal Irritation/Corrosio n)	Not irritant
Serious eye damage/irritation:				Rabbit	OECD 405 (Acute Eye Irritation/Corrosio n)	Not irritant
Respiratory or skin sensitisation:				Mouse	OECD 429 (Skin Sensitisation - Local Lymph Node Assay)	No (skin contact)
Germ cell mutagenicity:					OECD 471 (Bacterial Reverse Mutation Test)	Negative
Germ cell mutagenicity:					OECD 473 (In Vitro Mammalian Chromosome Aberration Test)	Negative



Revision date / version Replacing version date Valid from: 01.11.2021 PDF print date: 01.11.2	Page 3 of 4 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0004 Replacing version dated / version: 24.07.2015 / 0003 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO PU-201.310								EC50	48h			Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisati on Test)	No observation with saturated solution of test material.
(COSMOFEN DUO.20) - Binder)							12.1. Toxicity to algae:	EC50	72h	>14	mg/l	Desmodesm us	OECD 201 (Alga,	
Germ cell mutagenicity:						OECD 476 (In Vitro Mammalian Cell Gene Mutation Test)	Negative	12.1. Toxicity to algae:	NOEC/N OEL	72h	14	mg/l	Desmodesm us subspicatus	Growth Inhibition Test) OECD 201 (Alga, Growth	
Carcinogenicity:						resty	No indications of such an	12.2. Persistence and					Subspicatus	Inhibition Test)	Not relevant
Reproductive toxicity:	NOEL	100	00	mg/k g bw/d	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the	effect.	degradability: 12.3. Bioaccumulative							for inorganic substances . Not to be
						Reproduction/De velopm. Tox. Screening Test)		potential: 12.4. Mobility in							expected n.a.
Specific target organ toxicity - single exposure (STOT-SE):						coreaning rooty	No indications of such an effect.	soil: 12.5. Results of PBT and vPvB assessment							No PBT substance, No vPvB
Specific target organ toxicity - repeated exposure (STOT-RE):							No indications of such an effect.	Toxicity to bacteria:	EC50	3h	>10 00	mg/l	activated sludge	OECD 209 (Activated Sludge,	substance
Aspiration hazard: Specific target organ toxicity - repeated exposure (STOT-RE), oral:	NOAE L	100	00	mg/k g bw/d	Rat	OECD 422 (Combined Repeated Dose Tox. Study with the Reproduction/De	No							Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Specific target organ toxicity - repeated exposure (STOT-RE), inhalat.:	NOAE C	0,2	12	mg/l	Rat	velopm. Tox. Screening Test) OECD 413 (Subchronic Inhalation Toxicity - 90-Day Study)		Toxicity to bacteria:	NOEC/N OEL	3h	100	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and	
11.2. Information	on othe	r haza	ırds											Ammonium Oxidation))	
	COSMO PU-201.310 (COSMOFEN DUO.20 - Binder) Toxicity / effect				Notes	Other organisms:	EC50	21d	>10 00	mg/k g dw		OECD 208 (Terrestrial Plants, Growth	Glycine max		
Endocrine disrupting properties: Other information:							Does not apply to mixtures. No other relevant	Other organisms:	EC50	21d	>10 00	mg/k g dw		Test) OECD 208 (Terrestrial Plants, Growth	Lycopersic on esculentum
							information available on adverse effects on health.	Other organisms:	EC50	21d	>10 00	mg/k g dw		Test) OECD 208 (Terrestrial Plants, Growth Test)	Avena sativa
	SECT	ION 1	12: Ed	cologi	cal inform	mation		Other organisms:	NOEC/N OEL	21d	100 0	mg/k g dw		OECD 208 (Terrestrial Plants,	Glycine max
Possibly more informa	tion on envir	onmenta	al effects	s. see Sec	tion 2.1 (classi	fication).								Growth Test)	
COSMO PU-201.310 (COSMOFEN DUO.20		Tim	Valu	Unit	Organism	,	Notes	Other organisms:	NOEC/N OEL	21d	100	mg/k g dw		OECD 208 (Terrestrial Plants, Growth	Lycopersic on esculentum
12.1. Toxicity to fish:		e	e	Oint	Organism	method	n.d.a.	Other organisms:	NOEC/N OEL	21d	100 0	mg/k g dw		Test) OECD 208 (Terrestrial Plants,	Avena sativa
daphnia: 12.1. Toxicity to algae: 12.2.							n.d.a.	Other organisms:	EC50	14d	>10 00	mg/k g dw	Eisenia foetida	Growth Test) OECD 207 (Earthworm,	
Persistence and degradability: 12.3. Bioaccumulative							n.d.a.	Other organisms:	NOEC/N	14d	100	mg/k	Eisenia	Acute Toxicity Tests) OECD 207	
potential: 12.4. Mobility in soil: 12.5. Results of							n.d.a.		OEL		0	g dw	foetida	(Earthworm, Acute Toxicity Tests)	
PBT and vPvB assessment 12.6. Endocrine disrupting							Does not apply to	Other organisms:	EC50	28d	>10 00	mg/k g dw		OECD 216 (Soil Microorganis ms -	
properties: 12.7. Other adverse effects:							mixtures. No information available	Other organisms:	NOEC/N	28d	100	mg/k		Nitrogen Transformati on Test) OECD 216	
							on other adverse effects on the environmen	-	OEL		0	g dw		(Soil Microorganis ms - Nitrogen Transformati on Test)	
Calcium carbonate	Calcium carbonate							Water solubility:			0,01 66	g/l		OECD 105 (Water	20°C
Toxicity / effect t	Endpoin t	Tim e	Valu e	Unit	Organism	method	Notes		<u> </u>			<u> </u>		Solubility)	
12.1. Toxicity to I fish:	LC50	96h			Oncorhyno us mykiss	(Fish, Acute	No observation		SECT	ION 1	3: Dis	sposal	considera	tions	
Toxicity Test) Test) Test) Test) Test) Test) Test) Test Test) T															

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0004

Revision date / version: 0.11.202 / 0004 Replacing version dated / version: 24.07.2015 / 0003 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO PU-201.310

(COSMOFEN DUO.20 - Binder)

Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU) 08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

Recommendation:

Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site.

For contaminated packing material

Pay attention to local and national official regulations.

Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements

14.1. UN number or ID number:

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: n.a. Classification code n.a.

LQ: 14.5. Environmental hazards: Not applicable

Transport by sea (IMDG-code)
14.2. UN proper shipping name:
14.3. Transport hazard class(es): n.a. 14.4. Packing group: Marine Pollutant: n.a. Not applicable

14.5 Environmental hazards Transport by air (IATA)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Not applicable

ntal hazards: 14.6. Special precautions for user

cified otherwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulation

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

15.2 Chemical safety assessment

SECTION 16: Other information

Revised sections: 1-16

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

Key literature references and sources

for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended.

Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA).

Safety data sheets for the constituent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water

(Germany). EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU)

2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (=
European Agreement concerning the International Carriage of Dangerous Goods by Road)

AOX Adsorbable organic halogen compounds

approx. approximately Art., Art. no.Article number

ART., A ASTM ATE BAM

ASTM International (American Society for Testing and Materials)
Acute Toxicity Estimate
Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAuA

Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health

and Safety, Germany)
BCF Bioconcentration factor

BSEF The International Bromine Council

body weight Chemical Abstracts Service bw CAS CLP

Cheminical Australias Service
Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, d packaging of substances and mixtures) carcinogenic, mutagenic, reproductive toxic
Derived Minimum Effect Level

labelling : CMR DMEL

DNEL Derived No Effect Level DOC Dissolved organic carbon

dw dry weight
e.g. for example (abbreviation of Latin 'exempli gratia'), for instance
EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass

(algae, plants) EC Ei Éuropean Community

ECT European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EEC European Economic Community

EINECS European List of Notified Chemical Substances

ELINCS European List of Notified Chemical Substances

ΕN European Norms

FPA

United States Environmental Protection Agency (United States of America), ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate ErCx, EµCx, ErLx (x = 10, 50) (algae, plants)

et cetera European Union etc. EU

FVAI

Fax. gen. GHS

Ethylene-vinyl alcohol copolymer
Fax number
general
Globally Harmonized System of Classification and Labelling of Chemicals

GIVP Global warming potential
Koc Adsorption coefficient of organic carbon in the soil
octanol-water partition coefficient
IARC International Agency for Research on Cancer
International Air Transport Association
IBC (Code) International Bulk Chemical (Code)
IMDG-code International Maritime Code for Dangerous Goods
including inclusive

incl.

International maintaine Code for Danigerous Goods including, inclusive International Uniform Chemical Information Database International Union for Pure Applied Chemistry Lethal Concentration to 50 % of a test population Lethal Dose to 50% of a test population (Median Lethal Dose) IUCLID IUPAC LC50 LD50

Log Koc Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient Logarithm of octanol-water partition coefficient pg Pow Logarithm of octanol-water partition coefficient
Limited Quantities
International Convention for the Prevention of Marine Pollution from Ships
not applicable

LQ MARPOL n.a. n.av.

n.c. not checked n.d.a no data available

NIOSH

National Institute for Occupational Safety and Health (USA)
No-longer-Polymer
L No Observed Effect Concentration/Level NLP NOEC, NOEL No Observed Effect Concentration/Level
OECD Organisation for Economic Co-operation and Development

organic Occupational Safety and Health Administration (USA) org. OSHA

PBT PE PNEC persistent, bioaccumulative and toxic Polyethylene Predicted No Effect Concentration

POLY Processing a submission value and reprovise the processing submission of the provision of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

RiD Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone Total organic carbon

UN RTDG United Notes

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Volatile organic compounds very persistent and very bioaccumulative VOC

vPvR

The statements made here should describe the product with regard to the necessary safety precautions - they

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.