

Page 1 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0002

Revision date / version: 0.11.2021 / 0.002 Replacing version dated / version: 24.10.2018 / 0.001 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO PU-221.900

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

**COSMO PU-221.900** 

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Uses advised against:

No information available at present

1.3 Details of the supplier of the safety data sheet

Weiss Chemie + Technik GmbH & Co. KG Hansastrasse 2 35708 Haiger Tel: +49 (0) 2773 / 815-0 msds@weiss-chemie de www.weiss-chemie.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WIC) +1 872 5888271 (WIC)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

in the terms of the Regulation (EC) 1272/2008 (CLP).

Labeling according to Regulation (EC) 1272/2008 (CLP) Not applicable

2.3 Other hazards

**2.3 OTHER NAZIONS**The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (FC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

3.2 Mixtures

Registration number (REACH)	
Index	
EINECS, ELINCS, NLP, REACH-IT List-No.	***
CAS	
content %	
Classification according to Regulation (EC) 1272/2008	
(CLP), M-factors	

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

First-aiders should ensure they are protected! Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms. **Skin contact** 

Whipe off residual product carefully with a soft, dry cloth.

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Unsuitable cleaning product:

Solvent Thinners

Eve contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Give copious water to drink - consult doctor immediately

4.2 Most important symptoms and effects, both acute and delayed

as and effects can be found in section 11 and the absorption route in section 4.1. 4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media

Adapt to the nature and extent of fire.
Water jet spray/foam/CO2/dry extinguishe

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

In case of fire the following can dev Oxides of carbon

Acroleine

Calcium oxide Metal oxides

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes Protective respirator with independent air supply.

According to size of fire Full protection, if necessary.

Dispose of contaminated extinction water according to official regulations.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

In case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Ensure sufficient ventilation, remove sources or ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary.

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

# 6.2 Environmental precautions

If leakage occurs, dam up

Resolve leaks if this possible without risk

Prevent surface and ground-water infiltration, as well as ground penetration. Prevent from entering drainage system. If accidental entry into drainage system occurs, inform responsible authoritie

**6.3 Methods and material for containment and cleaning up**Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceou dispose of according to Section 13. ous earth, sawdust) and

Pick up mechanically and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

# **SECTION 7: Handling and storage**

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling 7.1.1 General recommendations

Avoid contact with eyes or skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicab Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities Store product closed and only in original particles Not to be stored in gangways or stair wells.

Store at room temperature Store in a dry place

7.3 Specific end use(s) No information available at pre

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Œ	Chemical Name	Calcium c	Content %:			
	L-TWA: 4 mg/m3 (respir mg/m3 (total inhalable dus					
Moi	nitoring procedures:	•				
BM	GV:			Other information	າ:	

Area of application	Exposure route /	Effect on	Descri	Valu	Unit	Note
	Environmental compartment	health	ptor	e		
	Environment - freshwater		PNEC	3,2	mg/l	
	Environment - marine		PNEC	0,32	mg/l	
	Environment - soil		PNEC	600	mg/kg dry weight	
	Environment - sewage treatment plant		PNEC	95	mg/kg	
Consumer	Human - oral	Long term, systemic effects	DNEL	1,25	mg/kg body weight/ day	
Consumer	Human - dermal	Long term, systemic effects	DNEL	1,25	mg/kg body weight/ day	



Page 2 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0002

Revision date / version: 0.11.2021 / 0.002 Replacing version dated / version: 24.10.2018 / 0.001 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO PU-221.900

Workers / employees	Human - dermal	Long term, systemic effects	DNEL	2,5	mg/kg body weight/ day	
Workers / employees	Human - inhalation	Long term, local effects	DNEL	3	mg/m3	

WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period) EH40. AGW = "Arbeitsplatzgrenzwert" (workplace limit value, Germany).

(8) = Inhalable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (9) = Respirable fraction (Directive 2017/164/EU, Directive 2004/37/CE). (11) = Inhalable fraction (Directive 2004/37/CE). (12) = Inhalable fraction, Respirable fraction in those Member States that implement, on the date of the entry force of this Directive, a biomonitoring system with a biological limit value not exceeding 0,002 mg Cd/g creatinine in urine (Directive 2004/37/CE). | WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period). reference period).

(8) = Inhalable fraction (2017/164/EU, 2017/2398/EU). (9) = Respirable fraction (2017/164/EU, (a) = Innalable fraction (2017/164/EU, 2017/298/EU). (9) = Respirable fraction (2017/164/EU, 2017/298/EU). (10) = Short-term exposure limit value in relation to a reference period of 1 minute (2017/164/EU). | BMGV = Biological monitoring guidance value EH40. BGW = "Biologischer Grenzwert" (biological limit value, Germany) | Other information: Sen = Capable of causing occupational asthma. Sk = Can be absorbed through skin. Carc = Capable of causing cancer and/or heritable genetic damage.

\*\* = The exposure limit for this substance is repealed through the TRGS 900 (Germany) of January 2006 with the goal of revision.

(13) = The substance can cause sensitisation of the skin and of the respiratory tract (Directive 2004/37/CE), (14) = The substance can cause sensitisation of the skin (Directive 2004/37/CE).

#### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn

Applies only if maximum permissible exposure values are listed here.

Suitable assessment methods for reviewing the effectiveness of protection measures adopted include metrological and non-metrological investigative techniques.

These are specified by e.g. EN 14042.

EN 14042 "Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents".

# 8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:

With danger of contact with eyes

Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Chemical resistant protective gloves (EN ISO 374). Recommended

Protective nitrile gloves (EN ISO 374). Minimum layer thickness in mm:

ation time (penetration time) in minutes:

60 The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical

The recommended maximum wearing time is 50% of breakthrough time

Usual protective working garments

Respiratory protection: Normally not necessary

Thermal hazards: Not applicable

Additional information on hand protection - No tests have been performed. In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications. Final selection of glove material must be made taking the breakthrough times, permeation rates and

degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and

varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested

before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer

#### 8.2.3 Environmental exposure controls

and must be observed

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties Paste, liquid. According to specification Characteristic There is no information available on this parameter.

Physical state: Colour: Odour: Melting point/freezing point:

Boiling point or initial boiling point and boiling range: Flammability.
Lower explosion limit:
Upper explosion limit:

Flash point: Auto-ignition temperature: Decomposition temperature:

. Kinematic viscosity:

Solubility:
Partition coefficient n-octanol/water (log value):

Vapour pressure: Density and/or relative density: Relative vapour density: Particle characteristics: 9.2 Other information

Not combustible

6800 mPas (20°C, Dynamic viscosity )
Not miscible
Does not apply to mixtures.

There is no information available on this parameter.

There is no information available on this parameter.

There is no information available on this parameter. There is no information available on this parameter. There is no information available on this parameter.

There is no information available on this parameter.

There is no information available on this parameter.

1,55 g/cm3
There is no information available on this parameter.

Mixture is non-soluble (in water).

Does not apply to liquids.

Explosives: Oxidising liquids Product is not explosive

#### **SECTION 10: Stability and reactivity**

**10.1 Reactivity**After contact with acids:
Build up of carbon-dioxide possible.

10.2 Chemical stability Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

No dangerous reactions are known After contact with acids:

Build up of carbon-dioxide possible

10.4 Conditions to avoid

See also section 7.
None known

#### 10.5 Incompatible materials

See also section 7.
Avoid contact with strong acids.
Avoid contact with strong oxidizing agents.

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5 See also section 5.2

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Possibly more information	n on health	effects, see	Section 2.1	(classification	).				
COSMO PU-221.900									
Toxicity / effect	Endpo	Value	Unit	Organis	Test method	Notes			
	int			m					
Acute toxicity, by oral						n.d.a.			
route:									
Acute toxicity, by						n.d.a.			
dermal route:									
Acute toxicity, by						n.d.a.			
inhalation:									
Skin						n.d.a.			
corrosion/irritation:									
Serious eye						n.d.a.			
damage/irritation:									
Respiratory or skin						n.d.a.			
sensitisation:									
Germ cell						n.d.a.			
mutagenicity:									
Carcinogenicity:						n.d.a.			
Reproductive toxicity:						n.d.a.			
Specific target organ						n.d.a.			
toxicity - single									
exposure (STOT-SE):									
Specific target organ		-				n.d.a.			
toxicity - repeated									
exposure (STOT-RE):									
Aspiration hazard:						n.d.a.			
Symptoms:						n.d.a.			

Toxicity / effect	Endpo	Value	Unit	Organis	Test method	Notes
	int			m		
Acute toxicity, by oral	LD50	>2000	mg/k	Rat	OECD 420	
route:			g		(Acute Oral	
					toxicity - Fixe	
					Dose Procedure)	
Acute toxicity, by oral	LD50	> 5000	mg/k	Rat		
route:			g			
Acute toxicity, by	LD50	>2000	mg/k	Rat	OECD 402	
dermal route:			g		(Acute Dermal	
					Toxicity)	
Acute toxicity, by	LC50	>3	mg/l/	Rat	OECD 403	
inhalation:			4h		(Acute Inhalation	
					Toxicity)	
Skin				Rabbit	OECD 404	Not irritan
corrosion/irritation:					(Acute Dermal	
					Irritation/Corrosio	
					n)	
Serious eye				Rabbit	OECD 405	Not irritant
damage/irritation:					(Acute Eye	Mechanic
					Irritation/Corrosio	irritation
					n)	possible.
Respiratory or skin						No (skin
sensitisation:						contact)
Germ cell					in vitro	Negative
mutagenicity:						
Carcinogenicity:						Negative,
						administe
						d as Ca-
						lactate
Reproductive toxicity:						Negative,
						administe
						d as Ca-
			1			carbonate

11.2. Information on other hazards							
COSMO PU-221.900							
Toxicity / effect	Endpo	Value	Unit	Organis	Test method	Notes	
	int			m			
Endocrine disrupting properties:						Does not apply to mixtures.	
Other information:						No other relevant information available on adverse effects on health.	

#### **SECTION 12: Ecological information**

Possibly more information on environmental effects, see Section 2.1 (classification)

COSMO PU-221.900



Page 3 of 4

Fage 3 or 4
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0002
Replacing version dated / version: 24.10.2018 / 0001
Valid from: 01.11.2021
PDF print date: 01.11.2021
COSMO PU-221.900

Calcium carbonate

Toxicity / effect	Endpoin	Tim	Valu	Unit	Organism	Test	Notes
Toxicity / circut	t	e	e	0	Organism	method	Notes
12.1. Toxicity to							n.d.a.
fish:							
12.1. Toxicity to							n.d.a.
daphnia:							
12.1. Toxicity to							n.d.a.
algae:							
12.2.							n.d.a.
Persistence and							
degradability:							
12.3.							n.d.a.
Bioaccumulative							
potential:							
12.4. Mobility in							n.d.a.
soil:							
12.5. Results of							n.d.a.
PBT and vPvB							
assessment							
12.6. Endocrine							Does not
disrupting							apply to
properties:							mixtures.
12.7. Other							No
adverse effects:							information
							available
							on other
							adverse
							effects on
							the
							environmen
							t.

Calcium carbonat							
Toxicity / effect	Endpoin t	Tim e	Valu e	Unit	Organism	Test method	Notes
12.1. Toxicity to daphnia:	EC50	48h	>10 0	mg/l	Daphnia magna	OECD 202 (Daphnia sp. Acute Immobilisati	
12.1. Toxicity to algae:	EC50	72h	>14	mg/l	Desmodesm us subspicatus	on Test) OECD 201 (Alga, Growth Inhibition Test)	
Toxicity to bacteria:	EC50	3h	>10 00	mg/l	activated sludge	OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation))	
Toxicity to annelids:					Eisenia foetida	OECD 207 (Earthworm, Acute Toxicity Tests)	Negative
12.3. Bioaccumulative potential:							Not relevant for inorganic substances
12.4. Mobility in soil:							Not relevant for inorganic substances
12.5. Results of PBT and vPvB assessment							Not relevant for inorganic substances
12.1. Toxicity to fish:	LC50	96h	>10 000	mg/l	Oncorhynch us mykiss		
12.1. Toxicity to fish:	LC50	96h	>10 0	mg/l	Oncorhynch us mykiss	OECD 203 (Fish, Acute Toxicity Test)	
12.1. Toxicity to daphnia:	EC50	48h	>10 00	mg/l	Daphnia magna		
12.1. Toxicity to algae:	EC50	72h	>20	mg/l	Desmodesm us subspicatus		
12.2. Persistence and degradability:							Inorganic products cannot be eliminated from water through biological purification methods.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

### For the substance / mixture / residual amounts

FOI title Substance / Illiance /

Recommendation:

Recommendation:
Sewage disposal shall be discouraged.
Pay attention to local and national official regulations.

E.g. suitable incineration plant.
E.g. dispose at suitable refuse site

For contaminated packing material
Pay attention to local and national official regulations.
Empty container completely.

Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

#### **SECTION 14: Transport information**

#### General statements

14.1. UN number or ID number: n.a

Transport by road/by rail (ADR/RID)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Classification code: n.a. n.a. n.a.

14.5. Environmental hazards: Not applicable Tunnel restriction code

Transport by sea (IMDG-code)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: Marine Pollutant: Not applicable

14.5. Environmental hazards Transport by air (IATA)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: 14.5. Environmental hazards: Not applicable

**14.6. Special precautions for user**Unless specified otherwise, general measures for safe transport must be followed

14.7. Maritime transport in bulk according to IMO instruments
Non-dangerous material according to Transport Regulations.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions:

General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC): 0 g/l

### 15.2 Chemical safety assessment

A chemical safety assessment is not provided for mixtures.

# **SECTION 16: Other information**

#### Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3).

### Key literature references and sources

#### for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended

(ECHA).
Safety data sheets for the constituent substances.
ECHA Homepage - Information about chemicals.
GESTIS Substance Database (Germany).
German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).
EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU)

2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

#### Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (=
European Agreement concerning the International Carriage of Dangerous Goods by Road)
Adsorbable organic halogen compounds

approx. approximately

Art., Art. no.Article number ASTM ASTM Internat

ASTM International (American Society for Testing and Materials)

AGIM International (Internation Government)
Acute Toxicity Estimate
Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany)

BAUA

Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health

BAUA Buildeds...
and Safety, Germany)
BCF Bioconcentration factor
BSEF The International Bromine Council

BSEF bw CAS CLP

body weight Chemical Abstracts Service

LAS Chemical Abstracts Service
CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures)
CMR carcinogenic, mutagenic, reproductive toxic
DMEL Derived Minimum Effect Level
DNEL Derived No Effect Level
DOC Dissolved organic carbon

dry weight

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass



GB Page 4 of 4 Page 4 of 4
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0002
Replacing version dated / version: 24.10.2018 / 0001
Valid from: 01.11.2021
PDF print date: 01.11.2021
COSMO PU-221.900 EC European Community
ECHA European Chemicals Agency
ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect
EEC European Economic Community
EINECS European Inventory of Existing Commercial Chemical Substances
ELINCS European List of Notified Chemical Substances

EIN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate

(algae, plants)

et cetera etc. EU

European Union
Ethylene-vinyl alcohol copolymer
Fax number EVAL Fax.

gen. GHS general
Globally Harmonized System of Classification and Labelling of Chemicals

GWP Global warming potential

Adsorption coefficient of organic carbon in the soil

Koc Kow IARC IATA Koc Adsorption coefficient of organic carbon in the soil Kow octanol-water partition coefficient IARC International Agency for Research on Cancer IATA International Air Transport Association IBC (Code) International Bulk Chemical (Code) IMDG-code International Maritime Code for Dangerous Goods

IMDG-code International Maritime Code for Dangerous Goods incl. including, inclusive International Uniform Chemical Information Database International Union for Pure Applied Chemistry Lethal Concentration to 50 % of a test population Loso Lethal Dose to 50% of a test population (Median Lethal Dose) Log Kow, Log Pow Logarithm of adsorption coefficient of organic carbon in the soil Log Kow, Log Pow Logarithm of octanol-water partition coefficient Limited Quantities International Convention for the Prevention of Marine Pollution from Ships n.a. not applicable

n.av. not available n.c. not checked n.d.a. no NIOSH Na NLP No NOEC, NOEL

not data available
National Institute for Occupational Safety and Health (USA)
No-longer-Polymer
L
No Observed Effect Concentration/Level

Organisation for Economic Co-operation and Development OECD Organisation for Economic Co-operation and Developing organic
Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic
Polyethylene
Predicted No Effect Concentration org. OSHA

PBT

PE PNEC

PNEC Predicted No Effect Concentration parts per million PVC Polyvinylchloride REACH Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern Tele, Telephone

Telephone Total organic carbon

UN RTDG United Nations Recommendations on the Transport of Dangerous Goods

VOC vPvB wwt Volatile organic compounds very persistent and very bioaccumulative wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they

not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.