

Page 1 of 4

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0004

Revision date / version: 11.1.2021 / 0004 Replacing version dated / version: 11.11.2019 / 0003 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO SP-830.160

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

COSMO SP-830.160

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:

Uses advised against:

No information available at present

1.3 Details of the supplier of the safety data sheet

Weiss Chemie + Technik GmbH & Co. KG Hansastrasse 2 35708 Haiger Tel: +49 (0) 2773 / 815-0 msds@weiss-chemie de www.weiss-chemie.de

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone number

Emergency information services / official advisory body:

Telephone number of the company in case of emergencies:

+49 (0) 700 / 24 112 112 (WIC) +1 872 5888271 (WIC)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) 1272/2008 (CLP)

in the terms of the Regulation (EC) 1272/2008 (CLP).

Labeling according to Regulation (EC) 1272/2008 (CLP)

EUH208-Contains 1,2-benzisothiazol-3(2H)-one, Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. EUH210-Safety data sheet available on request.

2.3 Other hazards

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006 (< 0,1 %).

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (FC) 1907/2006 (< 0,1 %).

The mixture does not contain any substance with endocrine disrupting properties (< 0,1 %).

SECTION 3: Composition/information on ingredients

3.1 Substances

3.2 Mixtures

| 01-2120761540-60-XXX |
|------------------------------|
| 613-088-00-6 |
| 220-120-9 |
| 2634-33-5 |
| 0,005-<0,05 |
| Acute Tox. 4, H302 |
| Skin Irrit. 2, H315 |
| Eye Dam. 1, H318 |
| Skin Sens. 1, H317 |
| Aquatic Acute 1, H400 (M=1) |
| Aquatic Chronic 2, H411 |
| Skin Sens. 1, H317: >=0,05 % |
| |

| Specific Concentration Limits and ATE | SKIII Seris. 1, H317: >=0,05 % |
|---|---------------------------------|
| | |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3- | |
| one and 2-methyl-2H-isothiazol-3-one (3:1) | |
| Registration number (REACH) | 01-2120764691-48-XXXX |
| Index | 613-167-00-5 |
| EINECS, ELINCS, NLP, REACH-IT List-No. | |
| CAS | 55965-84-9 |
| content % | 0,0001-<0,0015 |
| Classification according to Regulation (EC) 1272/2008 | EUH071 |
| (CLP), M-factors | Acute Tox. 2, H310 |
| | Acute Tox. 2, H330 |
| | Acute Tox. 3, H301 |
| | Skin Corr. 1C, H314 |
| | Eye Dam. 1, H318 |
| | Skin Sens. 1A, H317 |
| | Aquatic Acute 1, H400 (M=100) |
| | Aquatic Chronic 1, H410 (M=100) |

Specific Concentration Limits and ATE

Skin Corr. 1C, H314: >=0,6 % Skin Irrit. 2, H315: >=0,06 % Eye Dam. 1, H318: >=0,6 % Eye Irrit. 2, H319: >=0,06 % Skin Sens. 14 H317: >=0.004 Skin Sens. 1A, H317: >=0,0015 %

For the text of the H-phrases and classification codes (GHS/CLP), see Section 16.

The substances named in this section are given with their actual, appropriate classification!

For substances that are listed in appendix VI, table 3.1 of the regulation (EC) no. 1272/2008 (CLP regulation) this means that all notes that may be given here for the named classification have been taken into account.

SECTION 4: First aid measures

4.1 Description of first aid measures

First-aiders should ensure they are protected!

Never pour anything into the mouth of an unconscious person!

Inhalation

Supply person with fresh air and consult doctor according to symptoms

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eve contact

Remove contact lenses.
Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water. Give copious water to drink - consult doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1. In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Adapt to the nature and extent of fire. Water jet spray/foam/CO2/dry extinguishe

Unsuitable extinguishing media

5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop Oxides of carbon

Toxic gases

5.3 Advice for firefighters

For personal protective equipment see Section 8. In case of fire and/or explosion do not breathe fumes

Protective respirator with independent air supply.

According to size of fire

Full protection, if necessary

Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnelIn case of spillage or accidental release, wear personal protective equipment as specified in section 8 to prevent contamination.

Ensure sufficient ventilation, remove sources of ignition.

Avoid dust formation with solid or powder products.

Leave the danger zone if possible, use existing emergency plans if necessary. No special measures required. Avoid contact with eyes or skin. If applicable, caution - risk of slipping.

6.1.2 For emergency responders

See section 8 for suitable protective equipment and material specifications.

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

Prevent from entering drainage system.

If accidental entry into drainage system occurs, inform responsible authorities

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding age dispose of according to Section 13. ous earth, sawdust) and

6.4 Reference to other sectionsFor personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplaceGeneral hygiene measures for the handling of chemicals are applicable. Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Store product closed and only in original packing.

Not to be stored in gangways or stair wells. Store at room temperature. Protect from frost.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



Page 2 of 4
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0004
Replacing version dated / version: 11.11.2019 / 0003
Valid from: 01.11.2021
PDF print date: 01.11.2021
COSMO SP-830.160

| Area of application | Exposure route / | Effect on | Descri | Valu | Unit | Note |
|---------------------|------------------------|------------------|--------|------|-------|------|
| | Environmental | health | ptor | е | | |
| | compartment | | • | | | |
| | Environment - | | PNEC | 0,00 | mg/l | |
| | freshwater | | | 339 | _ | |
| | Environment - | | PNEC | 0,00 | mg/l | |
| | marine | | | 339 | " | |
| | Environment - | | PNEC | 0,02 | mg/kg | |
| | sediment, freshwater | | | 7 | dw | |
| | Environment - | | PNEC | 0,02 | mg/kg | |
| | sediment, marine | | | 7 | dw | |
| | Environment - soil | | PNEC | 0,01 | mg/kg | |
| | | | | | dw | |
| | Environment - | | PNEC | 0,23 | mg/l | |
| | sewage treatment | | | | _ | |
| | plant | | | | | |
| | Environment - | | PNEC | 0,00 | mg/l | |
| | water, sporadic | | | 339 | _ | |
| | (intermittent) release | | | | | |
| Consumer | Human - inhalation | Long term, | DNEL | 0,02 | mg/m3 | |
| | | local effects | | | _ | |
| Consumer | Human - inhalation | Short term, | DNEL | 0,04 | mg/m3 | |
| | | local effects | | | | |
| Consumer | Human - oral | Long term, | DNEL | 0,09 | mg/kg | |
| | | systemic effects | | | bw/d | |
| Workers / | Human - inhalation | Long term, | DNEL | 0,02 | mg/m3 | |
| employees | | local effects | | | | |
| Workers / | Human - inhalation | Short term, | DNEL | 0,04 | mg/m3 | |
| employees | | local effects | | | - | |

8.2 Exposure controls

8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction.

If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection

Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection:
Tight fitting protective goggles (EN 166) with side protection, with danger of splashes.

Skin protection - Hand protection:

Chemical resistant protective gloves (EN ISO 374). Recommended

Rubber gloves (EN ISO 374).
Protective nitrile gloves (EN ISO 374).
Protective PVC gloves (EN ISO 374).
Minimum layer thickness in mm:

Permeation time (penetration time) in minutes:

480
The breakthrough times determined in accordance with EN 16523-1 were not obtained under practical

The recommended maximum wearing time is 50% of breakthrough time. Protective hand cream recommended

Skin protection - Other: Usual protective working garments

Respiratory protection: Normally not necessary.

Additional information on hand protection - No tests have been performed

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents.

Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and

degradation into account.

Selection of a suitable glove depends not only on the material but also on other quality characteristics and

varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use.

The exact breakthrough time of the glove material can be requested from the protective glove manufacturer.

and must be observed

8.2.3 Environmental exposure controls

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Liquid According to specification Characteristic There is no information available on this parameter.

9.1 Information on basic physical and or Physical state:
Colour:
Odour:
Melting point/freezing point:
Boiling point or initial boiling point and boiling range:
Flammability:
Lower explosion limit:
Upper explosion limit:
Flash point: Flash point:

Auto-ignition temperature: Decomposition temperature:

pH: Kinematic viscosity: Kinematic viscosity.
Solubility:
Partition coefficient n-octanol/water (log value):

Vapour pressure: Density and/or relative density:

There is no information available on this parameter. There is no information available on this parameter.

There is no information available on this parameter There is no information available on this parameter. There is no information available on this parameter. Soluble Does not apply to mixtures.

There is no information available on this parameter. 1,02 g/cm3 (relative density)

Relative vapour density: Particle characteristics

There is no information available on this parameter.

Does not apply to liquids.

9.2 Other information Product is not explosive. Oxidising liquids:

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

10.5 Incompatible materials

10.6 Hazardous decomposition products

No decomposition when used as directed

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Possibly more information on health effects, see Section 2.1 (classification).

| COSMO SP-830.160 | | | | | , | |
|--|--------------|-------|------|--------------|-------------|------------------|
| Toxicity / effect | Endpo int | Value | Unit | Organis m | Test method | Notes |
| Acute toxicity, by oral route: | | | | | | n.d.a. |
| Acute toxicity, by dermal route: | | | | | | n.d.a. |
| Acute toxicity, by inhalation: | | | | | | n.d.a. |
| Skin corrosion/irritation: | | | | | | n.d.a. |
| Serious eye damage/irritation: | | | | | | n.d.a. |
| Respiratory or skin sensitisation: | | | | | | n.d.a. |
| Germ cell mutagenicity: | | | | | | n.d.a. |
| Carcinogenicity: | | | | | | n.d.a. |
| Reproductive toxicity: Specific target organ toxicity - single exposure (STOT-SE): | | | | | | n.d.a. n.d.a. |
| Specific target organ toxicity - repeated exposure (STOT-RE): | | | | | | n.d.a. |
| Aspiration hazard: | | | | | | n.d.a. |
| Symptoms: | | | | | | n.d.a. |

| 1,2-benzisothiazol-3(2) Toxicity / effect | Endpo | Value | Unit | Organis | Test method | Notes |
|---|-------|-------|-------------|---------------|----------------------------------|---|
| • | int | | | m | | |
| Acute toxicity, by oral route: | LD50 | 1193 | mg/k g | Rat | | |
| Acute toxicity, by oral route: | LD50 | 490 | mg/k g | Rat | | |
| Acute toxicity, by dermal route: | LD50 | 4115 | mg/k g | Rat | | |
| Acute toxicity, by inhalation: | LC50 | 0,25 | mg/l/ 4h | Rat | | Aerosol, Does no conform with EU classifica n. |
| Skin corrosion/irritation: | | | | | | Skin Irrit. |
| Serious eye damage/irritation: | | | | | | Eye Dan |
| Respiratory or skin sensitisation: Germ cell mutagenicity: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Skin Sen 1 Negative |
| Symptoms: | | | | | | vomiting headach gastroin tinal disturbar |

| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | | | | | | |
|---|--------------|---------------|-------------|---------------|--|--|--|--|--|
| Toxicity / effect | Endpo int | Value | Unit | Organis m | Test method | Notes | | | |
| Acute toxicity, by oral route: | LD50 | 53-64 | mg/k g | Rat | | | | | |
| Acute toxicity, by dermal route: | LD50 | 87 | mg/k g | Rat | OECD 402 (Acute Dermal Toxicity) | | | | |
| Acute toxicity, by inhalation: | LC50 | 0,17- 0,33 | mg/l/ 4h | Rat | OECD 403 (Acute Inhalation Toxicity) | Aerosol | | | |
| Skin corrosion/irritation: | | | | Rabbit | | Corrosive | | | |
| Serious eye damage/irritation: | | | | Rabbit | | Corrosive | | | |
| Respiratory or skin sensitisation: | | | | Guinea pig | OECD 406 (Skin Sensitisation) | Yes (skin contact) | | | |
| Aspiration hazard: | | | | | | No | | | |
| Symptoms: | | | | | | diarrhoea mucous membran- irritation, watering eyes, eyes, reddened | | | |

11.2. Information on other hazards

COSMO SP-830.160



Page 3 of 4
Safety data sheet according to Regulation (EC) No 1907/2006, Annex II
Revision date / version: 01.11.2021 / 0004
Replacing version dated / version: 11.11.2019 / 0003
Valid from: 01.11.2021

| Valid from: 01.11.2021 PDF print date: 01.11.20 COSMO SP-830.160 | | | | | | |
|--|--------------|-------|------|--------------|-------------|-----------------------------|
| | | | | | | |
| Toxicity / effect | Endpo int | Value | Unit | Organis m | Test method | Notes |
| Endocrine disrupting properties: | | | | | | Does not apply to mixtures. |
| Other information: | | | | | | No other |

No other relevant information available on adverse effects on health.

SECTION 12: Ecological information

| Possibly | more information | on environmental | effects, see | Section 2.1 (| classification). | |
|----------|------------------|------------------|--------------|---------------|------------------|--|
| COCMC | CD 020 460 | | | | | |

| Toxicity / effect | Endpoin | Tim | Valu | Unit | Organism | Test | Notes |
|-------------------------------|---------|-----|------|------|----------|--------|-------------|
| 40.4 Taudaleuta | t | е | е | | | method | |
| 12.1. Toxicity to fish: | | | | | | | n.d.a. |
| 12.1. Toxicity to | | | | | | | n.d.a. |
| | | | | | | | n.a.a. |
| daphnia: 12.1. Toxicity to | | | | | | | n.d.a. |
| | | | | | | | II.u.a. |
| algae: 12.2. | | | | | | | n.d.a. |
| Persistence and | | | | | | | II.u.a. |
| degradability: | | | | | | | |
| 12.3. | | | | | | | n.d.a. |
| Bioaccumulative | | | | | | | II.u.a. |
| potential: | | | | | | | |
| 12.4. Mobility in | | | | | | | n.d.a. |
| soil: | | | | | | | II.u.a. |
| 12.5. Results of | | | | | | | n.d.a. |
| PBT and vPvB | | | | | | | 11.0.0. |
| assessment | | | | | | | |
| 12.6. Endocrine | | | | | | | Does not |
| disrupting | | | | | | | apply to |
| properties: | | | | | | | mixtures. |
| 12.7. Other | | | | | | | No |
| adverse effects: | | | | | | | information |
| | | | | | | | available |
| | | | | | | | on other |
| | | | | | | | adverse |
| | | | | | | | effects on |
| | | | | | | | the |
| | | | | | | | environmen |
| | | | | | | | t. |
| Other | | | | | | | DOC- |
| information: | | | | | | | elimination |
| | | | | | | | degree(co |
| | | | | | | | mplexing |
| | | | | | | | organic |
| | | | | | | | substance) |
| | | | | | | | >= |
| | | | | | | | 80%/28d: |
| | | | | | | | No |

| Toxicity / effect | Endpoin t | Tim e | Valu e | Unit | Organism | Test method | Notes |
|--|---------------|----------|-----------|------|--|---|---|
| 12.5. Results of PBT and vPvB assessment | | | | | | | No PBT substan No vPvt substan |
| 12.1. Toxicity to fish: | LC50 | 96h | 2,18 | mg/l | Oncorhynch us mykiss | OECD 203 (Fish, Acute Toxicity Test) | |
| 12.2. Persistence and degradability: | | | 90 | % | | OECD 302 B (Inherent Biodegradab ility - Zahn- Wellens/EM PA Test) | |
| 12.3. Bioaccumulative potential: | BCF | | 6,95 | | | OECD 305 (Bioconcentr ation - Flow- Through Fish Test) | |
| 12.1. Toxicity to daphnia: | EC50 | 48h | 2,94 | mg/l | Daphnia magna | OECD 202 (Daphnia sp. Acute Immobilisati on Test) | |
| 12.1. Toxicity to algae: | EC50 | 72h | 0,11 | mg/l | Pseudokirch neriella subcapitata | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.1. Toxicity to algae: | NOEC/N OEL | 72h | 0,02 7 | mg/l | Skeletonem a costatum | OECD 201 (Alga, Growth Inhibition Test) | |
| 12.2. Persistence and degradability: | DOC | | >70 | % | | OECD 303 A (Simulation Test - Aerobic Sewage Treatment - Activated Sludge Units) | |

| 12.2. Persistence and degradability: | | | | | | OECD 301 B (Ready Biodegradab ility - Co2 Evolution Test) | Readily biodegrada ble |
|--|---------|----|-----|------|---------------------|--|------------------------------|
| 12.3. Bioaccumulative potential: | Log Pow | | 1,3 | | | | |
| 12.3. Bioaccumulative potential: | Log Pow | | 0,7 | | | OECD 117 (Partition Coefficient (n- octanol/wate r) - HPLC method) | |
| Toxicity to bacteria: | EC20 | 3h | 3,3 | mg/l | activated sludge | OECD 209 (Activated Sludge, Respiration Inhibition Test (Carbon and Ammonium Oxidation)) | |

| Reaction mass of | 5-chloro-2-m | ethyl-2H | -isothiaz | ol-3-one a | ind 2-methyl-2H- | isothiazol-3-one | (3:1) |
|----------------------------------|--------------|----------|-----------|------------|----------------------|--------------------------------|----------------------|
| Toxicity / effect | Endpoin t | Tim e | Valu e | Unit | Organism | Test method | Notes |
| 12.1. Toxicity to | LC50 | 96h | 0.28 | mg/l | Lepomis | method | |
| fish: | 2000 | 00 | 0,20 | | macrochirus | | |
| 12.1. Toxicity to | LC50 | 96h | 0,19 | mg/l | Oncorhynch | OECD 203 | |
| fish: | | | -0,2 | | us mykiss | (Fish, Acute | |
| | | | 2 | | - | Toxicity | |
| | | | | | | Test) | |
| 12.1. Toxicity to | NOEC/N | 28d | 0,09 | mg/l | Oncorhynch | OECD 210 | |
| fish: | OEL | | 8 | | us mykiss | (Fish, Early- | |
| | | | | | | Life Stage | |
| | | | | | | Toxicity Test) | |
| 12.1. Toxicity to | NOEC/N | 21d | 0,00 | mg/l | Daphnia | OECD 211 | |
| daphnia: | OEL | 210 | 4 | IIIg/I | magna | (Daphnia | |
| аартта. | OLL | | " | | magna | magna | |
| | | | | | | Reproductio | |
| | | | | | | n Test) | |
| 12.1. Toxicity to | EC50 | 48h | 0,1- | mg/l | Daphnia | , | |
| daphnia: | EC50 | 72h | 0,16 | // | magna Pseudokirch | 0505.004 | |
| 12.1. Toxicity to | EC50 | /2n | 0,04 8 | mg/l | neriella | OECD 201 | |
| algae: | | | 8 | | subcapitata | (Alga, Growth | |
| | | | | | Subcapitata | Inhibition | |
| | | | | | | Test) | |
| 12.1. Toxicity to | NOEC/N | 72h | 0,00 | mg/l | Pseudokirch | OECD 201 | |
| algae: | OEL | | 12 | | neriella | (Alga, | |
| ū | | | | | subcapitata | Growth | |
| | | | | | | Inhibition | |
| | | | | | | Test) | |
| 12.2. | | | >60 | % | activated | OECD 301 | Does not |
| Persistence and | | | | | sludge | D (Ready | conform |
| degradability: | | | | | | Biodegradab | with EU |
| | | | | | | ility - Closed Bottle Test) | classificati |
| 12.3. | BCF | | 3.6 | | | bottle rest) | n. calculated |
| Bioaccumulative | BCI | | 3,0 | | | | value |
| potential: | | | | | | | value |
| 12.3. | Log Pow | | 0.40 | | | | Does not |
| Bioaccumulative | " | | 1- | | | | conform |
| potential: | | | 0,48 | | | | with EU |
| | | | 6 | | | | classificati |
| 40.5 December 1 | | | | | | | n. |
| 12.5. Results of PBT and vPvB | | | | | | | No PBT |
| assessment | | | | | | | substance No vPvB |
| assessment | | | | | | | substance |
| Toxicity to | EC50 | 3h | 7.92 | mg/l | activated | OECD 209 | Substance |
| bacteria: | -000 | 5 | .,,,, | 9 | sludge | (Activated | |
| | | | | | 3- | Sludge, | |
| | | | | | | Respiration | |
| | | | | | | Inhibition | |
| | | | | | | Test | |
| | | | | | | (Carbon | |
| | | | | | | and | |
| | | | | | | Ammonium | |
| | | | | | | Oxidation)) | |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

For the substance / mixture / residual amounts

The Substance / mixture / residual amounts
EC disposal code no.:
The waste codes are recommendations based on the scheduled use of this product.
Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2014/955/EU)
8.04.10 waste adhesives and sealants other than those mentioned in 08.04.09

Recommendation:

Recummendation: Sewage disposal shall be discouraged. Pay attention to local and national official regulations. E.g. suitable incineration plant. E.g. dispose at suitable refuse site.

Por contaminated packing material
Pay attention to local and national official regulations.
Empty container completely.
Uncontaminated packaging can be recycled.
Dispose of packaging that cannot be cleaned in the same manner as the substance.

SECTION 14: Transport information

General statements
14.1. UN number or ID number:
Transport by road/by rail (ADR/RID)
14.2. UN proper shipping name:
14.3. Transport hazard class(es):
14.4. Packing group:



Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revision date / version: 01.11.2021 / 0004

Revision date / Version: 0.1.1.2021 / 0004 Replacing version dated / Version: 11.11.2019 / 0003 Valid from: 01.11.2021 PDF print date: 01.11.2021 COSMO SP-830.160

Classification code

n.a. Not applicable 14.5. Environmental hazards: Tunnel restriction code:

Transport by sea (IMDG-code)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): n.a. 14.4. Packing group:
Marine Pollutant:
14.5. Environmental hazards n.a. Not applicable

Transport by air (IATA)

14.2. UN proper shipping name: 14.3. Transport hazard class(es): 14.4. Packing group: 14.5. Environmental hazards: n.a. Not applicable

14.6. Special precautions for user

erwise, general measures for safe transport must be followed.

14.7. Maritime transport in bulk according to IMO instruments

Non-dangerous material according to Transport Regulatio

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Observe restrictions: General hygiene measures for the handling of chemicals are applicable.

Directive 2010/75/EU (VOC):

Treated goods as per Regulation (EU) No. 528/2012 must display specific information on the label. Please note Article 58 paragraph (3) subparagraph 2 of Regulation (EU) No. 528/2012. Approval of the biocidal active substance may mean that special conditions are required for marketing the

These are indicated in the approval of the active substance.

15.2 Chemical safety assessmentA chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

Revised sections:

Classification and processes used to derive the classification of the mixture in accordance with the ordinance (EG) 1272/2008 (CLP):

Not applicable

The following phrases represent the posted Hazard Class and Risk Category Code (GHS/CLP) of the product and the constituents (specified in Section 2 and 3). H330 Fatal if inhaled.

H310 Fatal in contact with skin.

H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H301 Toxic if swallowed.
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.

Acute Tox. - Acute toxicity - oral

Skin Irrit. — Skin irritation

Skin Irrit. — Skin irritation
Eye Dam. — Serious eye damage
Skin Sens. — Skin sensitization
Aquatic Acute — Hazardous to the aquatic environment - acute
Aquatic Chronic — Hazardous to the aquatic environment - chronic
Acute Tox. — Acute toxicity - dermal
Acute Tox. — Acute toxicity - inhalation
Skin Corr. — Skin corrosion

Key literature references and sources

for data:

Regulation (EC) No 1907/2006 (REACH) and Regulation (EC) No 1272/2008 (CLP) as amended. Guidelines for the preparation of safety data sheets as amended (ECHA). Guidelines on labelling and packaging according to the Regulation (EG) Nr. 1272/2008 (CLP) as amended (ECHA). (ECHA).

Safety data sheets for the constituent substances

Salety data sheets for the consultent substances.

ECHA Homepage - Information about chemicals.

GESTIS Substance Database (Germany).

German Environment Agency "Rigoletto" information site on substances that are hazardous to water (Germany).

EU Occupation Exposure Limits Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU)

2017/164, (EU) 2019/1831, each as amended.

National Lists of Occupational Exposure Limits for each country as amended.

Regulations on the transport of hazardous goods by road, rail, sea and air (ADR, RID, IMDG, IATA) as amended.

Any abbreviations and acronyms used in this document:

acc., acc. to according, according to
ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (=
European Agreement concerning the International Carriage of Dangerous Goods by Road)
AOX Adsorbable organic halogen compounds

AOX approximately
Art., Art. no.Article number
ASTM ASTM International (American Society for Testing and Materials)
ATE Acute Toxicity Estimate
BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and and Safety, Germany)

BCF BSEF Bioconcentration factor The International Bromine Council

body weight CAS

body weight
Chemical Abstracts Service
Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification,
nd packaging of substances and mixtures)
carcinogenic, mutagenic, reproductive toxic
Derived Minimum Effect Level

CLP labelling a

DMEL Derived No Effect Level
Dissolved organic carbon
dry weight DNEL DOC

e.g. for example (abbreviation of Latin 'exempli gratia'), for instance

EbCx, EyCx, EbLx (x = 10, 50) Effect Concentration/Level of x % on reduction of the biomass

(algae, plants) EC Ei

(algae, plants)

EC European Community

ECHA European Chemicals Agency

ECx, ELx (x = 0, 3, 5, 10, 20, 50, 80, 100) Effect Concentration/Level for x % effect

EC European Economic Community

EINECS European Inventory of Existing Commercial Chemical Substances

ELINCS European List of Notified Chemical Substances

EN European Norms

EPA United States Environmental Protection Agency (United States of America)

ErCx, EµCx, ErLx (x = 10, 50) Effect Concentration/Level of x % on inhibition of the growth rate

(algae, plants) etc. et cetera FU

EVAL Fax. gen. GHS GWP

et cetera European Union Ethylene-vinyl alcohol copolymer Fax number general Globally Harmonized System of Classification and Labelling of Chemicals

Global warming potential
Adsorption coefficient of organic carbon in the soil
octanol-water partition coefficient
International Agency for Research on Cancer
International Air Transport Association
International Bulk Chemical (Code) Koc Kow IARC IATA IBC (Code)

IMDG-code International Maritime Code for Dangerous Goods

incl. IUCLID IUPAC LC50

International Maritime Code for Dangerous Goods including, inclusive International Uniform Chemical Information Database International Uniform Chemical Information Database International Union for Pure Applied Chemistry Lethal Concentration to 50 % of a test population (Median Lethal Dose) Logarithm of adsorption coefficient of organic carbon in the soil og Pow Logarithm of octanol-water partition coefficient Limited Quantities International Convention for the Prevention of Marine Pollution from Ships not applicable not available LD50 Log Koc Log Kow, LQ MARPOL

n.a. n.av. not available n.c. not checked

not checkeu
no data available
National Institute for Occupational Safety and Health (USA)

n.c. n
n.d.a. n
NIOSH N
NLP N
NOEC, NOEL
OECD C National Institute ion Councillant No-longer-Polymer

No Observed Effect Concentration/Level

Topic Co-operation and Developme Organisation for Economic Co-operation and Development org. OSHA

organic Occupational Safety and Health Administration (USA) persistent, bioaccumulative and toxic Polyethylene PBT PE PNEC

Predicted No Effect Concentration

PNEC Predicted No Effect Concentration parts per million PVC Polyvinylchloride REACH Polyvinylchloride Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals) REACH-IT List-No. 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT.

Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail)

SVHC Substances of Very High Concern

Tel. Telephone

Telephone

Tel. TOC Total organic carbon
United Nations Recommendations on the Transport of Dangerous Goods UN RTDG

Volatile organic compounds very persistent and very bioaccumulative VOC

vPvB

The statements made here should describe the product with regard to the necessary safety precautions - they not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by: Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.