

Special cleaner

Examples for Application

- Cleaning of all surfaces in the field of wood, plastic and aluminium window, door and façade construction
- Production and assembly area of window construction •
- Regular care of already assembled window, door and shutter profiles
- Streak-free cleaning of glass and high gloss surfaces, as well as office furniture and many plastic surfaces, also e.g. PC screens

Special Properties

- Intensive cleaning effect
- Mild to surfaces
- pH-neutral

Technical Data

Basis	Tenside water cleaner
Density as per EN 542 at +20 °C	approx. 0.99 g/cm ³
Processing temperatures	from +5 °C to +30 °C

Instructions for use

Acclimatise the product before the application.

Shake before use!

Always check the surfaces to be cleaned for compatibility!

Wood surfaces must be varnished or thick glazed.

Apply the cleaning agent directly from the bottle on a lint-free, not dying and slightly damp cloth. Clean the surface while slightly rubbing in the longitudinal direction of the section.

Generally avoid circular rubbing movements during the cleaning process!

If it is sprayed on and the reaction time is longer, the cleaning effect will be better.

In case of industrial applications, the cleaner can be diluted with 1:3 to 1:5 with water.

After cleaning has been completed, the surface is subsequently wiped up with a wet cloth.

Lacquered and film-laminated surfaces can become glossy after intensive cleaning.

If the cleaner is used on electrical or electronic tools, make sure that no electrical components are wetted when spraying on the cleaner, otherwise there be the risk of a short circuit.

For stronger contamination, the COSMO® CL-350.110 is available.

As a solvent -based technical cleaner, the COSMO® CL-300.140 SPECIAL (non-dissolvent and with antistatic agent) and the COSMO® CL-300.120 (slightly solvent) are available for plastic materials, the COSMO® CL-300.150 is available for metal construction.

Important instructions

Please find the data sheet referring to ingredients as per 648/2004/EC: Regulation on detergents (Annex VII, section D), in www.weiss-chemie.de.

The data sheet for medical personnel as per 648/2004/EC: Regulation on detergents (Annex VII, section C), is available on request.

Our user instructions, processing guidelines, product- and performance data, and other technical statements are only general directives; they describe only the condition of our products (values, determination of values on the date of completion) and the performances do not represent a warranty in the sense of § 443 BGB. Because of the wide variety of applications of the individual product and the relevant special conditions (e. g. processing parameters, material characteristics, etc.), it is up to the user to test it itself; our free expert advice for application provided in speech, writing, and as test is nonbinding.





GmbH & Co. KG Hansastraße 2 D-35708 Haiger

Weiss Chemie + Technik Tel.: +49 (0) 2773 / 815 - 0 Fax: +49 (0) 2773 / 815 - 200 Email: ks@weiss-chemie.de Web: www.weiss-chemie.de

Page 1/2



Please, also consider the Safety Data Sheet!

Storage

Store the hermetically closed original trading units, in a dry place at temperatures of +15 °C to +25 °C no direct sun radiation. While transported within the usual transport times, the product may be exposed to temperatures from -30 °C to +35 °C. Storage life in unopened original packaging: 24 Months.

Packaging

200 ml PE-bottle 500 ml PE-bottle Other trading units on request.









Weiss Chemie + Technik Tel.: +49 (0) 2773 / 815 - 0 GmbH & Co. KG Hansastraße 2 D-35708 Haiger

Fax: +49 (0) 2773 / 815 - 200 Email: ks@weiss-chemie.de Web: www.weiss-chemie.de