

## **Dispersion sealant**

## **Declaration of Performance**

as per Annex III of the Regulation (EU) No. 305/2011

LE/DoP-Nr. WCTDS0001-01

Identification code of product type: COSMO® DS-420.300 1.

2. Ident. No.: Batch number: see imprint on trading unit

3. Intended use: Dispersion sealant,

Sealing compound on the basis of acrylate dispersion

Jointing compound for façade elements for indoor and outdoor

applications

Type: F EXT-INT 12.5 P

Weiss Chemie + Technik GmbH & Co. KG 4. Manufacturer:

> Hansastraße 2 D-35708 Haiger

5. Authorised representative:

6. System for assessment of permanent 3 plus 3

performance:

7. Harmonised standard: EN 15651-1:2012

8. Notified authority: Ginger CEBTP (NB-No.: 0074), as notified test laboratory in the

Conformity System 3, conducted the first test and issued the test and

classification reports.

9. Declared performance: Conditioning: Storage A

Carrier material: Anodised aluminium without primer

Mortar M2 without primer

Essential characteristics	Performance	Harmonised technical specifications
Fire behaviour	Class E	1
Exposition of chemicals that are environmentally hazardous and/or hazardous to health	Rated	1
Watertightness and airtightness		
Resistance to flow	≤ 3 mm	1
Loss of volume	≤ 25 %	1
Tensile behaviour (i.e. elongation) after immersing in water (at +23 $^{\circ}\text{C})$	≥ 100 %	1
Durability	Passed	1

1 = EN 15651-1:2012

NF = No failure as per EN ISO 11600

10. The performance of the product mentioned above refers to the performance/s declared.

The above named manufacturer is solely responsible for the creation of the Declaration of Performance in conformity with regulation (EU) No. 305/2011.







Page 2/2



## **Dispersion sealant**

Signed for the manufacturer and on behalf of the manufacturer by:

[Manufacturer's authorized representative]

Haiger, 09.05.2025

ppa. Dr. Oliver Flender

Vice President Research & Development

Adhesive Division





Weiss Chemie + Technik
GmbH & Co. KG
Hansastraße 2
D-35708 Haiger

Tel.: +49 (0) 2773 / 815 - 0
Fax: +49 (0) 2773 / 815 - 200
Email: ks@weiss-chemie.de
Web: www.weiss-chemie.de